





Pay \$10 per treatment for SPRAVATO® medication costs

\$8,150 maximum program benefit per calendar year. *Treatment* may include up to three devices administered on the same day. Program limits apply. There is a program benefit limit of list price of the medication and a quantity limit of three devices per day or 23 devices in a 24-day period. There is a quantity limit of 24 devices in a 24-day period for one use per lifetime. Participate without sharing your income information.

You must be enrolled in the Savings Program before receiving your SPRAVATO® medication in order to qualify for out-of-pocket cost savings. Once enrolled, you can share your Savings Program card with your doctor or pharmacist to receive savings on your SPRAVATO® medication costs.

SPRAVATO withMe is limited to education about SPRAVATO®, its administration, and/or the condition it treats. It is not intended to provide medical advice, replace a treatment plan you receive from your doctor or nurse, or serve as a reason for you to start or stay on treatment.



Get savings on your out-of-pocket medication costs for SPRAVATO®.

Depending on your health insurance plan, savings may apply toward co-pay, co-insurance, or deductible.

Program does not cover the cost of treatment observation.

What is SPRAVATO® (esketamine) CIII nasal spray?

SPRAVATO® is a prescription medicine, used along with an antidepressant taken by mouth to treat:

- Adults with treatment-resistant depression (TRD)
- Depressive symptoms in adults with major depressive disorder (MDD) with suicidal thoughts or actions

SPRAVATO® is not for use as a medicine to prevent or relieve pain (anesthetic). It is not known if SPRAVATO® is safe or effective as an anesthetic medicine.

It is not known if SPRAVATO® is safe and effective for use in preventing suicide or in reducing suicidal thoughts or actions. SPRAVATO® is not for use in place of hospitalization if your healthcare provider determines that hospitalization is needed, even if improvement is experienced after the first dose of SPRAVATO®.

It is not known if SPRAVATO® is safe and effective in children.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about SPRAVATO®? SPRAVATO® can cause serious side effects, including:

- **Sedation and dissociation.** SPRAVATO® may cause sleepiness (sedation), fainting, dizziness, spinning sensation, anxiety, or feeling disconnected from yourself, your thoughts, feelings, space and time (dissociation).
 - Tell your healthcare provider right away if you feel like you cannot stay awake or if you feel like you are going to pass out.
 - Your healthcare provider must monitor you for serious side effects for at least 2 hours after taking SPRAVATO®. Your healthcare provider will decide when you are ready to leave the healthcare setting.

Spravato with Me



(1)	Enroll	in the	Savings	Program

vings Program 2 ways to enroll	
•	By phone 844-4S-WITHME (844-479-4846)

(2) How to use your Savings Program benefits

How your card can be used depends on the insurance you use to pay for your medication:



If you use your **medical/primary insurance** to pay for your medication through your doctor, treatment provider, or pharmacy:

- You may use the card to submit a rebate for reimbursement, **OR**
- You may assign your Savings Program benefits directly to your treatment provider. Please discuss this option with your treatment provider with your treating provider

How it works:

- Your provider or pharmacy may or may not collect your co-pay, based on your insurance coverage
- You receive your treatment with SPRAVATO®
 - Your provider or pharmacy submits your primary insurance claim to your healthcare insurance provider
- You and your provider receive an Explanation of Benefits (EOB) statement from your insurance
 - You are responsible for submitting the EOB to SPRAVATO withMe Savings Program, or you can request your provider to submit the EOB on your behalf (see How to submit a rebate request below)
- SPRAVATO withMe Savings Program reviews your EOB, and issues a rebate to you by check, or to your provider if you have assigned your benefits to your provider



If you use your pharmacy/prescription insurance to pay for your medication from a pharmacy:

- You may use your card (provide your Member ID #, Rx BIN #, and Group #) to receive instant savings off the cost of your medication
- The pharmacy will collect your co-pay

Remember to bring your card to your treatment appointment.

If for any reason your provider or pharmacy cannot process your card, please call us at 844-45-WITHME (844-479-4846). You may be able to submit a Rebate Request Form to receive a check. Proof of medication payment required.

Get started now



Visit **Spravato.com** Call 844-4S-WITHME (844-479-4846). Monday-Friday, 8:00 AM-8:00 PM ET.

How to submit a rebate request

You will need to complete, sign, and submit a **Rebate Request Form**, including a copy of your EOB from your primary insurance provider (as well as any secondary insurance provider, if applicable) and a receipt from your treatment provider indicating proof of payment of your out-of-pocket SPRAVATO® medication costs. Rebate requests must be submitted within 270 days of the date of service.

You may submit rebate requests to the Savings Program via fax or mail.





Savings Program 2250 Perimeter Park Drive, Suite 300 Morrisville, NC 27560

Spravato with Me



At your request, your provider may submit rebate requests to the Savings Program on your behalf if you have a Patient Assignment of Benefits consent on file. The Assignment of Benefits form can be found at Assignment of Benefits or by calling SPRAVATO withMe at 844-4S-WITHME (844-479-4846). Please complete the form, then sign and return the form to your provider.

Confirm with your provider who will submit rebate requests to the program—you or your provider at your request.

Am I eligible?

You may be eligible for the SPRAVATO withMe Savings Program if you:

- Are age 18 or older and currently use commercial or private health insurance that covers SPRAVATO® (esketamine) Nasal Spray CIII.
- Are enrolled in the SPRAVATO® Risk Evaluation and Mitigation Strategy (REMS). Learn more at **SpravatoREMS.com/Patients**.

There is no income requirement. SPRAVATO withMe Savings Program is based on medication costs only and does not include costs of treatment observation.

Other requirements

- This program is only available to people age 18 or older using commercial or private health insurance for their SPRAVATO® medication. This includes plans from the Health Insurance Marketplace. This program is not for people who use any state or federal government-funded healthcare program. Examples of these programs are Medicare, Medicaid, TRICARE, Department of Defense, and Veterans Administration.
- You may not seek payment for the value received from this program from any health plan, patient assistance foundation, flexible spending account, or healthcare savings account.
- You must meet the program requirements every time you use the card.
- Program terms will expire at the end of each calendar year. The program may change or end without notice, including in specific states.
- To use this program, you must follow any health plan requirements, including telling your health plan how much co-payment support you get from this program. By getting a Savings Program benefit, you confirm that you have read, understood, and agree to the program requirements on this page, and you are giving permission for information about your Savings Program transactions to be shared with your healthcare provider(s). These transactions include rebates and any funds placed on the card or balance remaining on the card.
- Before you enroll in the program, you will be asked to provide personal information that may include your name, address, phone number, email address, and information related to your prescription medication insurance and treatment. This information is needed for Janssen Pharmaceuticals, Inc., the maker of SPRAVATO®, and our service providers to enroll you in the SPRAVATO withMe Savings Program. We may also use the information you give us to learn more about the people who use SPRAVATO®, and to improve the information we give them.

 Janssen Pharmaceuticals, Inc., will not share your information with anyone else except where legally allowed.
- If you use medical/primary insurance to pay for your medication, you need to submit a rebate request with an Explanation of Benefits (EOB) to get payment from the Savings Program. With your permission, your provider may submit the rebate request and EOB for you by mail or through an electronic billing system. Please make sure you and your provider know who will submit the rebate request. Rebate requests must be submitted within 270 days of the date of service.
- This program offer may not be used with any other coupon, discount, prescription savings card, free trial, or other offer. Offer good only in the United States and its territories. Void where prohibited, taxed, or limited by law.

You may end your participation in SPRAVATO withMe at any time by calling 844-4S-WITHME (844-479-4846).





IMPORTANT SAFETY INFORMATION (CONTINUED)

- **Abuse and misuse.** There is a risk for abuse and physical and psychological dependence with SPRAVATO® treatment. Your healthcare provider should check you for signs of abuse and dependence before and during treatment with SPRAVATO®.
 - Tell your healthcare provider if you have ever abused or been dependent on alcohol, prescription medicines, or street drugs.
 - Your healthcare provider can tell you more about the differences between physical and psychological dependence and drug addiction.
- SPRAVATO® Risk Evaluation and Mitigation Strategy (REMS). Because of the risks for sedation, dissociation, and abuse and misuse, SPRAVATO® is only available through a restricted program called the SPRAVATO® Risk Evaluation and Mitigation Strategy (REMS) Program. SPRAVATO® can only be administered at healthcare settings certified in the SPRAVATO® REMS Program. Patients treated in outpatient healthcare settings (e.g., medical offices and clinics) must be enrolled in the program.
- Increased risk of suicidal thoughts and actions. Antidepressant medicines may increase suicidal thoughts and actions in some people 24 years of age and younger, especially within the first few months of treatment or when the dose is changed.

SPRAVATO® is not for use in children

- Depression and other serious mental illnesses are the most important causes of suicidal thoughts and actions. Some people may have a higher risk of having suicidal thoughts or actions. These include people who have (or have a family history of) depression or a history of suicidal thoughts or actions.
- · How can I watch for and try to prevent suicidal thoughts and actions in myself or a family member?
 - Pay close attention to any changes, especially sudden changes, in mood, behavior, thoughts, or feelings, or if you develop suicidal thoughts or actions.
 - Tell your healthcare provider right away if you have any new or sudden changes in mood, behavior, thoughts, or feelings.
 - Keep all follow-up visits with your healthcare provider as scheduled. Call your healthcare provider between visits as needed, especially if you have concerns about symptoms.
- Tell your healthcare provider right away if you or your family member have any of the following symptoms, especially if they are new, worse, or worry you:
 - suicide attempts

worsening depression

· thoughts about suicide or dying

• other unusual changes in behavior or mood

Do not take SPRAVATO® if you:

- have blood vessel (aneurysmal vascular) disease (including in the brain, chest, abdominal aorta, arms and legs)
- have an abnormal connection between your veins and arteries (arteriovenous malformation)
- have a history of bleeding in the brain
- are allergic to esketamine, ketamine, or any of the other ingredients in SPRAVATO®.

If you are not sure if you have any of the above conditions, talk to your healthcare provider before taking SPRAVATO®.





IMPORTANT SAFETY INFORMATION (CONTINUED)

Before you take SPRAVATO®, tell your healthcare provider about all of your medical conditions, including if you:

- have heart or brain problems, including:
 - high blood pressure (hypertension)
 - slow or fast heartbeats that cause shortness of breath, chest pain, lightheadedness, or fainting
 - history of heart attack
 - history of stroke
 - heart valve disease or heart failure
 - history of brain injury or any condition where there is increased pressure in the brain
- have liver problems
- have ever had a condition called "psychosis" (see, feel, or hear things that are not there, or believe in things that are not true).
- are pregnant or plan to become pregnant. SPRAVATO® may harm your baby. You should not take SPRAVATO® if you are
 pregnant.
 - Tell your healthcare provider right away if you become pregnant during treatment with SPRAVATO®.
 - If you are able to become pregnant, talk to your healthcare provider about methods to prevent pregnancy during treatment with SPRAVATO®.
 - There is a pregnancy registry for women who are exposed to SPRAVATO® during pregnancy. The purpose of the
 registry is to collect information about the health of women exposed to SPRAVATO® and their baby. If you become
 pregnant during treatment with SPRAVATO®, talk to your healthcare provider about registering with the National
 Pregnancy Registry for Antidepressants at 1-844-405-6185 or online at https://womensmentalhealth.org/clinical-andresearch-programs/pregnancyregistry/antidepressants/.
- are breastfeeding or plan to breastfeed. You should not breastfeed during treatment with SPRAVATO®.

Tell your healthcare provider about all the medicines that you take, including prescription and over-the-counter medicines, vitamins and herbal supplements. Taking SPRAVATO® with certain medicine may cause side effects.

Especially tell your healthcare provider if you take central nervous system (CNS) depressants, psychostimulants, or monoamine oxidase inhibitors (MAOIs) medicines. Keep a list of them to show to your healthcare provider and pharmacist when you get a new medicine.

How will I take SPRAVATO®?

- You will take SPRAVATO® nasal spray yourself, under the supervision of a healthcare provider in a healthcare setting. Your healthcare provider will show you how to use the SPRAVATO® nasal spray device.
- Your healthcare provider will tell you how much SPRAVATO® you will take and when you will take it.
- Follow your SPRAVATO® treatment schedule exactly as your healthcare provider tells you to.
- During and after each use of the SPRAVATO® nasal spray device, you will be checked by a healthcare provider who will decide when you are ready to leave the healthcare setting.
- You will need to plan for a caregiver or family member to drive you home after taking SPRAVATO®.
- If you miss a SPRAVATO® treatment, your healthcare provider may change your dose and treatment schedule.
- Some people taking SPRAVATO® get nausea and vomiting. You should not eat for at least 2 hours before taking SPRAVATO® and not drink liquids at least 30 minutes before taking SPRAVATO®.
- If you take a nasal corticosteroid or nasal decongestant medicine take these medicines at least 1 hour before taking SPRAVATO®.





IMPORTANT SAFETY INFORMATION (CONTINUED)

What should I avoid while taking SPRAVATO®?

Do not drive, operate machinery, or do anything where you need to be completely alert after taking SPRAVATO®. **Do not** take part in these activities until the next day following a restful sleep. See **"What is the most important information I should know about SPRAVATO®?"**

What are the possible side effects of SPRAVATO®?

SPRAVATO® may cause serious side effects including:

- See "What is the most important information I should know about SPRAVATO®?"
- Increased blood pressure. SPRAVATO® can cause a temporary increase in your blood pressure that may last for about 4 hours after taking a dose. Your healthcare provider will check your blood pressure before taking SPRAVATO® and for at least 2 hours after you take SPRAVATO®. Tell your healthcare provider right away if you get chest pain, shortness of breath, sudden severe headache, change in vision, or seizures after taking SPRAVATO®.
- Problems with thinking clearly. Tell your healthcare provider if you have problems thinking or remembering.
- **Bladder problems**. Tell your healthcare provider if you develop trouble urinating, such as a frequent or urgent need to urinate, pain when urinating, or urinating frequently at night.

The most common side effects of SPRAVATO® when used along with an antidepressant taken by mouth include:

- feeling disconnected from yourself, your thoughts, feelings and things around you
- dizziness
- nausea
- feeling sleepy
- · spinning sensation

- decreased feeling of sensitivity (numbness)
- · feeling anxious
- · lack of energy
- increased blood pressure
- vomiting
- · feeling drunk
- · feeling very happy or excited

If these common side effects occur, they usually happen right after taking SPRAVATO® and go away the same day.

These are not all the possible side effects of SPRAVATO®.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Please see full <u>Prescribing Information</u>, including Boxed WARNINGS, and <u>Medication Guide</u> for SPRAVATO® and discuss any questions you may have with your healthcare provider.

cp-170363v1

